

**Diwygiedig 2018-2033
Cynllun Datblygu Lleol**

**Revised 2018-2033
Local Development Plan**

Asesiadau Dyrannu Safle / Site Allocation Assessments

Clwstwr 4 / Cluster 4



**2il Gynllun Adneuo/2nd Deposit Plan
Chwefror/February 2023**

Clwster 4 / Cluster 4

SeC12 Castell Newydd Emlyn / Newcastle Emlyn	3
SeC13 Llanybydder	24
SeC14 Pencader	42
SuV32 Waungilwen	54
SuV33 Llangeler	60
SuV35 Saron, Rhos	66
SuV36 Llanllwni	73
SuV37 Cwm-ann / Cwmann	85
SuV38 Capel Iwan	98
SuV39 Llanfihangel-ar-arth	105
SuV41 Pontyweli	111
SuV43 New Inn	117

SeC12

Castell Newydd Emlyn

/ Newcastle Emlyn

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC12/h1
Cyfeiriad y Safle / Site Address:	Trem y Ddol	Ardal Safle / Site Area:	0.895
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Tir Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/18258

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ISA6	ACI10 ISA10	ACI14 ISA14	ACI15 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓					+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13		ISA13		+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mwynau: Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Tir Amaethyddol: Mae'r safle'n disgyn ar tir amaethyddol gradd 3a, ond mae'r tir yn gorwedd gerllaw'r ffurf adeiledig. Nid yw'n glir a ellid defnyddio'r tir hwn ar gyfer tyfu cnydau sy'n ffafriol i 3a tir amaethyddol. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Minerals: Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Agricultural Land: The site falls on 3a agricultural land, however the land forms lies adjacent the built form. It is not clear whether this land could be utilised for the growing of crops conducive to 3a agricultural land. The SFCA identifies no significant flood risk considerations./

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

Capasiti cyfyngedig sydd gan y gwaith trin dŵr gwastraff ar gyfer datblygu o fewn yr anheddiad. Bydd angen ystyried unrhyw ddatblygiad o dan Gynllun Rheoli Asedau Dŵr Cymru. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Limited capacity exists in the Waste Water Treatment Works for development within the settlement. Any development will need to be considered under the Dwr Cymru Welsh Water AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn destun cais cynllunio ar gyfer 17 o anheddu sy'n symud yn ei flaen, a bydd y datblygiad yn ychwanegiad i'r ystâd bresennol. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The site is subject to a planning application for 17 dwellings which is progressing, and the development will form the continuation of the existing estate. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC12/h1
Cyfeiriad y Safle / Site Address:	Trem y Ddol	Arwynebedd y Safle / Site Area:	0.895
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	
9. Tirwedd / Landscape	+/-	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
10. Poblogaeth / Population	++	
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0693 / SR/121/003 & CA0513 / SR/121/004	Cyfeirnod y Safle / Site Reference:	SeC12/h2
Cyfeiriad y Safle / Site Address:	Heol Dewi	Ardal Safle / Site Area:	0.175
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/31162, W/37399

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae datblygiad y safle wedi hen ddechrau ac mae bron â gorffen.
Development of the site is well underway and is nearing completion.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli yn agos at ACA Afon Teifi, ond nid yn union gerllaw. Fel rhan o gais cynllunio W/37399, cyflwynodd yr ymgeisydd adroddiad ar ddiogelu'r ACA / atal llygredd a nodai'r mesurau i'w rhoi ar waith yn ystod y broses o adeiladu'r safle./

The site is located close to the Afon Tefi SAC, but not immediately adjacent. As part of planning application W/37399, the applicant submitted a SAC safeguard / Pollution prevention Report detailing measures to put in

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonal? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✗	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	✗	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	✗	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✗	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	✗	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✗	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyri'r bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. / Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylwedol. /
Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Er bod y safle yn disgyn o fewn dalgyllch SAC sensitif i ffosffad, mae'r safle yn cael ei ddatblygu ac mae bron â chael ei gwblhau./ Whilst the site falls within a phosphate sensitive SAC catchment, the site is being developed and is nearing completion.			

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments
--

Ar hyn o bryd, mae'r rhan fwyaf o'r safle wedi'i neilltuo ar gyfer tai ac yn cael ei ddatblygu ar hyn o bryd. Mae ffin y safle wedi dilyn llinell arolwg geotechnegol a gynhaliwyd rhyw 20 mlynedd yn ôl. Cynhaliwyd arolwg mwy diweddar, ac o ganlyniad mae ffin y safle yn mynd i gael ei hehangu i adlewyrchu'r adroddiad hwn./

The majority of the site is currently allocated for housing and is being developed at present. The site boundary has followed the line of a geotechnical survey carried out some 20 years ago. A more recent survey has been undertaken, and as a result the site boundary is to be expanded to reflect this report.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0693 / SR/121/003 & CA0513 / SR/121/00	Cyfeirnod y Safle / Site Reference:	SeC12/h2
Cyfeiriad y Safle / Site Address:	Heol Dewi	Arwynebedd y Safle / Site Area:	0.175
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0404 / SR/121/001	Cyfeirnod y Safle / Site Reference:	SeC12/h3
Cyfeiriad y Safle / Site Address:	Tir y tu ôl i Dolcoed/ Land r/o Dolcoed	Ardal Safle / Site Area:	1.339
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	Tir Amaethyddol / Agricultural

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad adidas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ISA6	ACI10 ISA10	ACI14 ISA14	ACI15 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓					+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13		ISA13		+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations./

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

Capasiti cyfyngedig sydd gan y gwaith trin dŵr gwastraff ar gyfer datblygu o fewn yr anheddiad. Bydd angen ystyried unrhyw ddatblygiad o dan Gynllun Rheoli Asedau Dŵr Cymru. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Limited capacity exists in the Waste Water Treatment Works for development within the settlement. Any development will need to be considered under the Dwr Cymru Welsh Water AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dyrannwyd y safle gyntaf yn y CDLI presennol. Ystyri'r bod y safle yn briodol ar gyfer parhau i'w ddyrannu yn y

CDLI oherwydd ei leoliad cynaliadwy. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfwedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The site was first allocated in the current LDP. The site is considered appropriate for continued allocation in the LDP due to its sustainable location. The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0404 / SR/121/001	Cyfeirnod y Safle / Site Reference:	SeC12/h3
Cyfeiriad y Safle / Site Address:	Tir y tu ôl i Ddolcoed/ Land r/o Dolcoed	Arwynebedd y Safle / Site Area:	1.339
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtiharo ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtiharo â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

SeC13

Llanybydder

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC13/h1
Cyfeiriad y Safle / Site Address:	Ger Y Neuadd/ Adj. Y Neuadd	Ardal Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeyfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymhl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymhl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwydd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helath gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn cynnwys safle dyranedig sydd ar werth ar hyn o bryd. Mae'r safle yn lleoliad mewnlenwi ac mewn lleoliad cynaliadwy. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDL fynd tuag at archwiliad./

The site consists of an existing allocated site which is currently for sale. The site is an infill location and in a sustainable location. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC13/h1
Cyfeiriad y Safle / Site Address:	Ger Y Neuadd/ Adj. Y Neuadd	Arwynebedd y Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC13/h4
Cyfeiriad y Safle / Site Address:	Bro Einon	Ardal Safle / Site Area:	0.3ha
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/30639, W/39176, PL/03841

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae dechrau deunydd wedi'i wneud ar y safle sydd wedi'i gadarnhau gan y cais PL/03841. / A material start has been made on the site which has been confirmed by the application PL/03841.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymhl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymhl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Er bod y safle yn disgyn o fewn dalgyllch SAC sensitif i ffosffad, mae gan y safle ganiatâd cynllunio diliys gyda dechrau materol wedi'i gadarnhau./

Whilst the site falls within a phosphate sensitive SAC catchment, the site has a valid planning permission with a material start confirmed.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae caniatad cynllunio wedi'u caniatáu ar y safle ac mae dechreuad wedi ei wneud ar y safle. Yn ogystal, ystyrir bod y safle yn gyfle datblygu rhesymol yn Llanybydder. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Planning permission has been granted on the site and a material start has been made. Additionally, the site is considered to be a reasonable development opportunity within Llanybydder. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC13/h4
Cyfeiriad y Safle / Site Address:	Bro Einon	Arwynebedd y Safle / Site Area:	0.3ha
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC13/E1
Cyfeiriad y Safle / Site Address:	Hen Ffowndri Llanybydder / Old Foundry Llanybydder	Ardal Safle / Site Area:	0.405ha
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓		
Hanes Cynllunio Perthnasol / Relevant Planning History	W/38609		
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
<p>Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment</p>			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+
--	---	----------------------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Cafodd y safle ganiatâd cynllunio cyn cyhoeddi canllawiau ffosffad.

The site obtained planning permission before the publication of phosphate guidance.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?

X

ACI11
ISA11

+

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r ddatblygiad a'i fod yn hyfw? / Has the applicant provided sufficient evidence to show the development is deliverable ?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae ganddo ganiatâd cynllunio ar gyfer adeilad diwydiannol newydd a gynigir ar gyfer defnydd diwydiant ysgafn B1. Ystyrir ei bod yn briodol cadw'r safle hwn yn ddyraniad gyda'r bwriad o'i ddatblygu.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site has planning permission for a proposed new industrial building for B1 Light Industrial use. It is considered appropriate that this site is retained as an allocation with the intention of it being developed.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfaniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC13/E1
Cyfeiriad y Safle / Site Address:	Hen Ffowndri Llanybydder / Old Foundry Llanybydder	Arwynebedd y Safle / Site Area:	0.405ha
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	+/-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynaladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylwedol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylwedol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfaniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr.

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnai a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI.

Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC14

Pencader

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0362 / SR/124/002	Cyfeirnod y Safle / Site Reference:	SeC14/h1
Cyfeiriad y Safle / Site Address:	Garej Blossom / Blossom Garage	Ardal Safle / Site Area:	0.6
Defnydd Presennol / Existing Use:	Business cludio / Haulage business	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/39283

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae caniatâd cynllunio wedi cael ei wrthod ar y safle (Cyf: W/39283) am nifer o resymau, gan gynnwys lleoliad y safle y tu allan i'r terfynau datblygu presennol a diffyg lliniar ffosffad. / Planning permission has been refused on the site (ref: W/39283) for a number of reasons including the site being located outside the current development limits and a lack of phosphate mitigation.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyri'r bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations./

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r rhan fwyaf o'r safle wedi ei leoli o fewn terfynau datblygu'r CDLI presennol ac yn cael ei ddefnyddio ar hyn o bryd ar gyfer busnes cludo nwyddau. Ystyrir bod y safle yn gyfle datblygu rhesymol ym Mhencader i adeiladwyr tai ar raddfa fach a chanolig. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The majority of the site is located within the development limits of the current LDP and is currently used for a haulage business. The site is considered to be a reasonable development opportunity within Pencader for small to medium scale housebuilders. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0362 / SR/124/002	Cyfeirnod y Safle / Site Reference:	SeC14/h1
Cyfeiriad y Safle / Site Address:	Garej Blossom / Blossom Garage	Arwynebedd y Safle / Site Area:	0.6
Defnydd Presennol / Existing Use:	Business cludio / Haulage business	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	+/-	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtiharo ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtiharo â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei ailddefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrtiharo â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0531 / SR/124/005	Cyfeirnod y Safle / Site Reference:	SeC14/h2
Cyfeiriad y Safle / Site Address:	Tir ger Maescader/ Land adj Maescader	Ardal Safle / Site Area:	0.755
Defnydd Presennol / Existing Use:	Rhandir / Allotment	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeyfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyri'r bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helieth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations./

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddal gylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
---	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn cynnwys safle a ddyrrannwyd eisoes, ac mae'r asiant wedi datgan bod cymdeithas tai wedi dangos diddordeb mewn datblygu'r safle. Ystyrir bod y safle yn gyfle datblygu rhesymol ym Mhencader i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The site consists of an existing allocated site, the agent has stated that there has been interest shown in developing the site by a housing association. The site is considered to be a reasonable development opportunity within Pencader for small to medium scale housebuilders. The site was submitted as a candidate site and the agent has provided evidence showing its viability. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0531 / SR/124/005	Cyfeirnod y Safle / Site Reference:	SeC14/h2
Cyfeiriad y Safle / Site Address:	Tir ger Maescader/ Land adj Maescader	Arwynebedd y Safle / Site Area:	0.755
Defnydd Presennol / Existing Use:	Rhandir / Allotment	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV32

Waungilwen

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV32/h1
Cyfeiriad y Safle / Site Address:	Gyferbyn â Springfield/ Opposite Springfield	Ardal Safle / Site Area:	0.7
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/34664

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle ganiatâd cynllunio dilys ac mae'r gwaith wedi dechrau ar y safle./

The site has a valid planning permission and work has commenced on site.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad adidas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ISA6	ACI10 ISA10	ACI14 ISA14	ACI15 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓					+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓		ACI13		ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✗	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✗	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	✗	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	✗	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✗	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	✗	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✗	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae gan y safle ganiatâd cynllunio diliys ac mae'r gwaith wedi dechrau ar y safle. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

The site has a valid planning permission and work has commenced on site. The SFCA identifies no significant flood risk considerations.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae materion a gadwyd yn ôl wedi'u caniatáu ar y safle. Ystyrir bod y safle yn gyfile datblygu rhesymol yn Waungilwen i adeiladwyr tai ar raddfa fach a chanolig. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Reserved Matters has been granted on the site. The site is considered to be a reasonable development opportunity within Waungilwen for small to medium scale housebuilders. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV32/h1
Cyfeiriad y Safle / Site Address:	Gyferbyn â Springfield/ Opposite Springfield	Arwynebedd y Safle / Site Area:	0.7
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	Mae'r safle arfaethedig yn gwrtiharo ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	
9. Tirwedd / Landscape	+/-	Mae'r safle arfaethedig yn gwrtiharo â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
10. Poblogaeth / Population	++	
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle arfaethedig yn gwrtiharo â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fod bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV33

Llangeler

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0859 / SR/093/001	Cyfeirnod y Safle / Site Reference:	SuV33/h1
Cyfeiriad y Safle / Site Address:	Tir gyferbyn â Brogeler/ Land opposite Brogeler	Ardal Safle / Site Area:	0.4
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	Tir amaethyddol / Agricultural

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylwedol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylwedol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

Capasiti cyfyngedig sydd gan y gwaith trin dŵr gwastraff ar gyfer datblygu o fewn yr anheddiad. Bydd angen ystyried unrhyw ddatblygiad o dan Gynllun Rheoli Asedau Dŵr Cymru. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Limited capacity exists in the Waste Water Treatment Works for development within the settlement. Any development will need to be considered under the Dwr Cymru Welsh Water AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n gyfle datblygu rhesymol yn Llangeler i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDL fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a reasonable development opportunity within Llangeler for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing its viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0859 / SR/093/001	Cyfeirnod y Safle / Site Reference:	SuV33/h1
Cyfeiriad y Safle / Site Address:	Tir gyferbyn â Brogeler/ Land opposite Brogeler	Arwynebedd y Safle / Site Area:	0.4
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	
9. Tirwedd / Landscape	+/-	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
10. Poblogaeth / Population	++	
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fod bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV35

Saron, Rhos

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0494 / SR/148/003	Cyfeirnod y Safle / Site Reference:	SuV34/h1
Cyfeiriad y Safle / Site Address:	Tir ger Arwynfa/ Land adj Arwynfa	Ardal Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	Tir amaethyddol / Agricultural
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓		
Hanes Cynllunio Perthnasol / Relevant Planning History			
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
<p>Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment</p>			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

Capasiti cyfyngedig sydd gan y gwaith trin dŵr gwastraff ar gyfer datblygu o fewn yr anheddiad. Bydd angen ystyried unrhyw ddatblygiad o dan Gynllun Rheoli Asedau Dŵr Cymru. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Limited capacity exists in the Waste Water Treatment Works for development within the settlement. Any development will need to be considered under the Dwr Cymru Welsh Water AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyri'r bod y safle yn addas at ddefnydd preswyl ac y byddai'n gyfle datblygu rhesymol yn Saron i hunan-adeiladu ac adeiladwyr tai ar raddfa fach a chanolig. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a reasonable development opportunity within Saron for self-build, and small to medium scale housebuilders. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0494 / SR/148/003	Cyfeirnod y Safle / Site Reference:	SuV34/h1
Cyfeiriad y Safle / Site Address:	Tir ger Arwynfa/ Land adj Arwynfa	Arwynebedd y Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	
9. Tirwedd / Landscape	+/-	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
10. Poblogaeth / Population	++	
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fod bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV36

Llanllwni

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0244 / SR/099/001	Cyfeirnod y Safle / Site Reference:	SuV36/h1
Cyfeiriad y Safle / Site Address:	Cae Pensarn Helen	Ardal Safle / Site Area:	0.35
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/39283

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

Rhagwelir y byddai angen defnyddio cynllun trin pecyn sengl ar gyfer y datblygiad./

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

It is anticipated that the use of a single package treatment plan would be required for the development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n gyfle datblygu rhesymol yn Llanllwni i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a reasonable development opportunity within Llanllwni for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing its viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0244 / SR/099/001	Cyfeirnod y Safle / Site Reference:	SuV36/h1
Cyfeiriad y Safle / Site Address:	Cae Pensarn Helen	Arwynebedd y Safle / Site Area:	0.35
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fod bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0265 / SR/099/002	Cyfeirnod y Safle / Site Reference:	SuV36/h2
Cyfeiriad y Safle / Site Address:	Tir ym Mryndulais/ Land at Bryndulais	Ardal Safle / Site Area:	0.7
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	Tir amaethyddol / Agricultural

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad. Rhagwelir y byddai angen defnyddio cynllun trin pecyn sengl ar gyfer y datblygiad./

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development. It is anticipated that the use of a single package treatment plan would be required for the development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyri'r bod y safle yn addas at ddefnydd preswyl ac y byddai'n gyfle datblygu rhesymol yn Llanllwni i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a reasonable development opportunity within Llanllwni for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing its viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0265 / SR/099/002	Cyfeirnod y Safle / Site Reference:	SuV36/h2
Cyfeiriad y Safle / Site Address:	Tir ym Mryndulais/ Land at Bryndulais	Arwynebedd y Safle / Site Area:	0.7
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV37

Cwm-ann /

Cwmann

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0663 / SR/034/004	Cyfeirnod y Safle / Site Reference:	SuV37/h2
Cyfeiriad y Safle / Site Address:	Tir i'r de o Gae Coedmor / Land south of Cae Coedmor	Ardal Safle / Site Area:	1.0897
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/32329

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawnia'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean yn cwmpasu'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Superficial sand and gravel deposit covers the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n ychwanegiad i'r ystâd bresennol sydd i'r gogledd o'r safle. Ystyrrir bod y safle yn gyfle datblygu rhesymol yng Nghwm-ann i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a continuation of the existing estate that is situated to the north of the site. The site is considered to be a reasonable development opportunity within Cwmann for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0663 / SR/034/004	Cyfeirnod y Safle / Site Reference:	SuV37/h2
Cyfeiriad y Safle / Site Address:	Tir i'r de o Gae Coedmor / Land south of Cae Coedmor	Arwynebedd y Safle / Site Area:	1.0897
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0028, CA0560 / SR/034/001	Cyfeirnod y Safle / Site Reference:	SuV37/h3
Cyfeiriad y Safle / Site Address:	Tir ger Lleinau / Land adjacent to Lleinau	Ardal Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylwedol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean yn cwmpasu'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helath gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Superficial sand and gravel deposit covers the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development. The SFCA identifies no significant flood risk considerations

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyri'r bod y safle yn addas at ddefnydd preswyl ac y byddai'n ychwanegiad i'r ystâd bresennol sydd i'r gogledd o'r safle. Ystyri'r bod y safle yn gyfle datblygu rhesymol yng Nghwm-ann i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu tystiolaeth sy'n dangos ei hyfywedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a continuation of the existing estate that is situated to the north of the site. The site is considered to be a reasonable development opportunity within Cwmann for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0028, CA0560 / SR/034/001	Cyfeirnod y Safle / Site Reference:	SuV37/h3
Cyfeiriad y Safle / Site Address:	Tir ger Lleinau / Land adjacent to Lleinau	Arwynebedd y Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV38

Capel Iwan

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0692 / SR/019/005	Cyfeirnod y Safle / Site Reference:	SuV38/h1
Cyfeiriad y Safle / Site Address:	Maes y Bryn	Ardal Safle / Site Area:	0.28
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
Os arall, nodwch / If other, specify:			

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae capaciti cyfyngedig yn y gwaith trin dŵr gwastraff am ddatblygiadau yn yr annedd. Bydd rhaid i'r datblygiad cael ei ystyried o dan AMP Dwr Cymru. Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwyr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad./ Limited capacity exists in the Waste Water Treatment Works for development within the settlement. Any development will need to be considered under the Dwr Cymru Welsh Water AMP. As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod rhan o'r safle yn addas ar gyfer dyraniad preswyl yn ystod cyfnod y Cynllun i ganiatáu datblygiad ar raddfa fach. Mae datblygiadau ar raddfa fawr yng Nghapel Iwan wedi'i gyfyngu oherwydd bod y pentref wedi syrthio o fewn y dalgylch SAC sensitif ffosffad. Ystyrir bod y safle yn gyfle datblygu rhesymol yng Nghapel Iwan i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfywedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

It is considered that part of the site is suitable for residential allocation during the Plan period to allow for small scale development. Large scale development within Capel Iwan is limited due to the village falling within the phosphate sensitive SAC catchment. The site is considered to be a reasonable development opportunity within Capel Iwan for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0692 / SR/019/005	Cyfeirnod y Safle / Site Reference:	SuV38/h1
Cyfeiriad y Safle / Site Address:	Maes y Bryn	Arwynebedd y Safle / Site Area:	0.28
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	-	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr.

O ystyried yr effaith negyddol a roddir ar bioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV39

Llanfihangel-ar-arth

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0382 / SR/088/004	Cyfeirnod y Safle / Site Reference:	SuV39/h1
Cyfeiriad y Safle / Site Address:	Ger Yr Hendre/ Adj Yr Hendre	Ardal Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/39945 (withdrawn)

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad. /

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl. Ystyrir bod y safle yn gyfle datblygu rhesymol yn Llanfihangel-ar-arth i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use. The site is considered to be a reasonable development opportunity within Llanfihangel ar Arth for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0382 / SR/088/004	Cyfeirnod y Safle / Site Reference:	SuV39/h1
Cyfeiriad y Safle / Site Address:	Ger Yr Hendre/ Adj Yr Hendre	Arwynebedd y Safle / Site Area:	0.5
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV41

Pontyweli

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV41/h2
Cyfeiriad y Safle / Site Address:	Cilgwyn Bach	Ardal Safle / Site Area:	0.98 ha
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/30682; W/35919 ; W/40921; W/40639; W/38352; W/40639; W/36715

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylwedol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyri'r bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae amryw caniatadau cynllunio wedi'u caniatâu ar y safle. Yn ogystal, ystyri'r bod y safle yn gyfle datblygu rhesymol ym Mhontweli. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Various planning permissions have been granted on the site. Additionally, the site is considered to be a reasonable development opportunity within Pontweli. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV41/h2
Cyfeiriad y Safle / Site Address:	Cilgwyn Bach	Arwynebedd y Safle / Site Area:	0.98 ha
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+/-	
7. Pridd / Soil	--	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	Mae'r safle arfaethedig yn gwrtihdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
9. Tirwedd / Landscape	+/-	
10. Poblogaeth / Population	++	Mae'r safle arfaethedig yn gwrtihdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgylch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrtihdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV43

New Inn

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0643 / SR/120/001	Cyfeirnod y Safle / Site Reference:	SuV43/h1
Cyfeiriad y Safle / Site Address:	Blossom Inn	Ardal Safle / Site Area:	0.722
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/22520

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusteriau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusteriau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i cyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
---	---	----------------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i roi sylw i lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to address phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl. Ystyrir bod y safle yn gyfle datblygu rhesymol yn New Inn i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfwedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

It is considered that the site is appropriate for residential use. The site is considered to be a reasonable development opportunity within New Inn for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing its viability. Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
 Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0643 / SR/120/001	Cyfeirnod y Safle / Site Reference:	SuV43/h1
Cyfeiriad y Safle / Site Address:	Blossom Inn	Arwynebedd y Safle / Site Area:	0.722
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score	Meini Prawf Cynaladwyedd / Sustainability Criteria
1. Datblygu Cynaliadwy / Sustainable Development	+	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
2. Bioamrywaiaeth / Biodiversity	-	
3. Ansawdd Aer / Air Quality	+/-	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
4. Ffactorau hinsoddol / Climatic Factors	+	
5. Dŵr / Water	--	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
6. Asedau Materol / Material Assets	+	
7. Pridd / Soil	--	Mae'r safle arfaethedig yn gwrtiharo ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0	
9. Tirwedd / Landscape	+/-	Mae'r safle arfaethedig yn gwrtiharo â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
10. Poblogaeth / Population	++	
11. Y Gymraeg / The Welsh Language	+	
12. Iechyd a Llesiant / Health and Well-being	+/-	
13. Addysg a Sgiliau / Education and Skills	+	
14. Yr Economi / Economy	+	
15. Gwead Cymdeithas / Social Fabric	++	0 Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynaladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyrch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle arfaethedig yn gwrtiharo â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fod bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.